



GPA 640 260' CLASS PLATFORM SUPPLY VESSEL

Vessel Characteristics

Length, Overall:	252 ft	76.8 m			
Beam:	54.1 ft	16.5 m			
Depth:	19 ft	5.8 m			
Maximum Draft:	15.8 ft	4.8 m			
Light Draft:	6.6 ft	2 m			
Minimum Height:	70.5 ft	21.5 m			
Freeboard:	3.3 ft	1 m			
Displacement:	4,430 lt	4,500 mt			
Deadweight:	2,880 lt	2,920 mt			
Clear Deck Space:	177 x 45 ft	54 x 14 m			
Clear Deck Area:	7,940 ft²	740 m ²			
Deck Strength AFT:	1,020 lb/ft²	5 t/m²			
Class Notations:	ABS: +A1, (E), +DPS-2, +AMS, Offshore Support Vessel				

Capacities

Deck Cargo:	1,180 lt	1,200 t
Fuel Oil:	143,000 gal	540 m ³
Potable Water:	17,200 gal	65.1 m ³
Fresh Water:	212,000 gal	800 m ³
Drill/Ballast Water:	126,000 gal	480 m³
Bulk Tanks (4 tanks):	7,130 ft³	200 m ³
Liquid Mud (2.5 SG*): *Max Structural Specific Gravity	8,220 bbl	1,310 m ³

TIDEWATER

Find out more

Pg.2 Further Specifications Pg.4

Pg.3 General Arrangement

Pg.4 Capacity Table Pg.5 DP Capability Plot

tdw.com

1 ASTUBBATE-11/

Further specifications



Machinery

Diesel Electric Vessel							
Propulsive/Total HP:	4,200 / 6,110						
Z-Drives:		Yes					
Propellers (2):		2100HP Steerprop SP 20					
Kort Nozzles:	2						
Primary Generators (2):	1,820 kw 480 v 60 hz						
Driven by:	Cummins QSK 60						
Secondary Generators (1):	910 kw 480 v 60 hz						
Driven by:		Cur	mmins KTA 38				
Emergency Generators (1):	170 kw	480 v	60 hz				
Driven by:	Cummins 6 CTA 8.3						
Bow Thruster (2):	BERG 12S TT						
Driven by:	746kW Electric Motor						
Total Thrust:		25 st	22.7 mt				

Deck Equipment

Anchors (2):	2100 KG STOCKLESS
Anchor Chain:	220 m of 38 mm chain per side
Windlass:	McElroy MCSW-150-25E

Accommodations

No. of Berths:	42
Cabins:	2x1-man, 2x2-man, 3x4-man & 4x6-man
Certified to Carry:	42
Galley seating:	14

Registration

Flag: MEXICO	Home Port: DOS BOCAS					
Hull Number: 7424	IMO N ^o : 9285263					
Year Built: 2004	Call Sign: XCBC4					
Builder:	BENDER SHIPBUILDING					
Tonnage (ITC):	2045 GT 797 NT					

Performance*

Fuel Consumption Vs Speed							
Maximum:	17.3 m³/day (190 gph) @ 12.5 knots						
Cruising:	13.4 n	n³/day (150 gph) @ 11 knots					
Economical:	$10.9 \text{ m}^3/\text{day}$ (120 gph) @ 10 knots						
Standby:	1.9 m³/day (20.8 gph) @ 0 knots						
Range @ 11 Knots:	10,600 nm						
Transfer Rates							
Fuel Oil:	660 gpm @ 200 ft	150 m³/h @ 61 m					
Fresh Water:	660 gpm @ 200 ft	150 m³/h @ 61 m					
Drill/Ballast Water:	550 gpm @ 200 ft	120 m³/h @ 61 m					
Bulk:	29.7 cfm @ 180 ft	50.4 m³/h @ 56 m					
Liquid Mud:	650 gpm @ 200 ft	150 m³/h @ 60 m					

Nav/Comms Equipment


Radar(s):	2
Depth Sounder:	1
Gyro Compass:	3
Wind Speed Indicators:	2
Doppler Log:	1
Radio:	3 x VHF; 1 x SSB
Sat Com:	FURUNO FELCOM15

Special Equipment

Firefighting:	FiFi Other 1x 110 Fire Montior
Dynamic Positioning:	DP-2
Ref. Systems:	2 x MRU; 2 x DGPS 1 x Microwave-based; 1 x Laser-based
Mud Circulation System/ Mud Mixers:	Yes/Yes
Tank Cleaning:	Yes
Rescue Boat:	6-Man MOB 4.5A
Misc:	MSD - 25 Persons; Moon Pool - 36" Dia.

General Arrangement (Current configuration may vary.)





Capacity Table



Tank	Contents	Volume	Base	Fuel	Dry	DW/WB	Potable	Fresh	Brine	Liquid	Methanol	Lube	Foam	Oil
FOREPEAK TK C	DW/WB	m ³	Oil	Oil	Bulk	30.7	Water	Water		Mud		Oil		Disp.
Ballast Tk No. 1 P	DW/WB	27.0				27.0								
		_				27.0								
Ballast Tk No. 1 S	DW/WB	27.0				26.1								
Ballast Tk No. 3 P	DW/WB	26.1												
Ballast Tk No. 3 S	DW/WB	27.7				27.7								
Anti-Roll Tk C	DW/WB	312.9				312.9								
AFT PEAK TK P	DW/WB	26.7				26.7								
FW Tk No. 1 P	Ship's FW	32.6					32.6							
FW Tk No. 1 S	Ship's FW	32.6					32.6							
FW Tk No. 2 C	FW	36.3						36.3						
FW Tk No. 2 P	FW	85.5						85.5						
FW Tk No. 2 S	FW	85.5						85.5						
FW Tk No. 2A P	FW	90.7						90.7						
FW Tk No. 2A S	FW	90.7						90.7						
FW Tk No. 2B P	FW	122.2						122.2						
FW Tk No. 2B S	FW	121.9						121.9						
FW Tk No. 3 C	FW	168.7						168.7						
Fuel Oil No. 1 P	FO	11.8		11.8										
Fuel Oil No. 1 S	FO	11.8		11.8										
Fuel Oil No. 2 P	FO	37.5		37.5										
Fuel Oil No. 2 S	FO	37.5		37.5										
Fuel Oil No. 3 P	FO	118.5		118.5										
Fuel Oil No. 3 S	FO	132.4		132.4										
Fuel Oil No. 4 P	FO	88.7		88.7										
Fuel Oil No. 4 S	FO	102.2		102.2										
Fuel Oil Day Tk P	FO	22.5		22.5										
Fuel Oil Day Tk S	FO	22.5		22.5										
Fuel Oil Emerg. Gen Tk	FO	1.0		1.0										
LM Tk No. 1 P	LM	101.5								101.5				
LM Tk No. 1 S	LM	101.5								101.5				
LM Tk No. 2 P	LM	101.5								101.5				
LM Tk No. 2 S	LM	101.5								101.5				
LM Tk No. 2A P	LM	101.5								101.5				
LM Tk No. 2A S	LM	101.5								101.5				
LM Tk No. 2A C	LM	88.4								88.4				
LM Tk No. 2B P	LM	101.5								101.5				
LM Tk No. 2B S	LM	101.5								101.5				
LM Tk No. 3 P	LM	101.4								101.4				
LM TK No. 3 P	LM	101.4								101.4				
LM Tk No. 4 P	LM	101.5								101.5				
LM Tk No. 4 S	LM	101.5								101.5				
DRY BULK TANK NO.1	DRY BULK	32.1			32.1					101.5				
DRY BULK TANK NO.2 DRY BULK TANK NO.3	DRY BULK	56.6			56.6									
	DRY BULK	56.6			56.6									
DRY BULK TANK NO.4	DRY BULK	56.6			56.6							7.4		
Lube Oil Tk FWD P	LO	7.1										7.1		
Lube Oil Tk No. 1 S	LO	3.5										3.5		
Lube Oil Tk No. 2 S	LO	3.6										3.6		
		3	0.0	F00.0	000.0	470.4	OF 4	004.4	0.0	4 200	0.0	44.0	0.0	0.0
		olume [m³]		586.6	202.0	478.1	65.1	801.4	0.0	1,306.1	0.0	14.2	0.0	0.0
	Spec Sheet Total V	olume [m³]	0.0	540.6	202.0	478.1	65.1	801.4	0.0	1,306.1	0.0	14.2	0.0	0.0

^{*}Capacities shown are for lead vessel. Actual capacities may vary slightly.

^{*}Capacities shown in RED are excluded from the total volume.

^{*}Capacities shown in **BLUE** are included in another Tank's Capacity.

^{*}Capacities shown in GREEN are counted for multiple Tank Capacities.

DP Capability Plot



