



M.V. NORTH PURPOSE

STX 09 CD PSV DP-2 LARGE PLATFORM SUPPLY VESSEL

REGISTRATION

Built	2010
Builder	Soviknes, Norway
Classification	DNV +1A1, SF, E0, DynPos AutR, Dk+ HL (2.8), L.F.L., Clean Design, Naut OSV(A) Comfort V3 COAT PSPC(B)
Flag	Norwegian

MAIN CHARACTERISTICS

LOA	86.8 m
Breadth (moulded)	19 m
Depth (mould to sh.dk)	8 m
Draft (max)	5.9 m
GRT	3,639 T
NRT	1,187 T
Deadweight	4,836 T
Light ship	2,755 T

PERFORMANCE

11 knots @ Approx. 11 m ³ / day
12.5 knots @ Approx. 13 m ³ / day
16.5 knots @ Approx. 27 m ³ / day

MANOEUVRING EQUIPMENT

2 x Rotating variable speed Stern Azi pull propulsion units (Diesel electric)
 1 x Kongsberg C-Joy Joystick
 Kongsberg Simrad DP2

ENVIRONMENTAL

Selective Catalytic Reduction (SCR) system for reduced NOX / SOX emissions.
 Clean Design - Double Hull with no hydrocarbon products on outer shell.

MACHINERY

Diesel Electric	
Generating Power	10,738 BHP
Propulsive BHP	5,867 BHP
Main Generators	4 x CAT 1901 KW
Aux Generator	1 x CAT 450 KW
Emergency Gen	1 x CAT 104 KW
Thrusters Bow	2 x 1200 BHP (Tunnel)
Thrusters Stern	N/A - D.E. (Azi pulls)
Rudders	N/A - D.E. (Azi pulls)
Propellers	2 x CPP Azi pull
Capstans	2 x 10 T
Deck Crane	1 x 5T @ 10m
Deck Crane	1 x 1T @ 10m
Tugger Winch	2 x 10T

DYNAMIC POSITIONING SYSTEM (CLASS II)

Kongsberg Simrad K-Pos 21 DP System	
References	1 x Fan beam laser 2 x DGPS receiver

NAVIGATION & COMMUNICATION EQUIPMENT

- 1 x Furuno 10cm ARPA RADAR
- 1 x Furuno 3cm RADAR
- 2 x Furuno Satellite Navigator GP 90
- 1 x Furuno DGPS/GP-90 inbuilt Navigator
- 2 x Jotron 9GHz Radar transponder
- 1 x Anschutz gyro compass
- 1 x Anschutz digital autopilot - Pilotstar D
- 1 x Furuno echo sounder FE-700
- 1 x Furuno Doppler speed log DS80
- 1 x Furuno FA150 AIS system
- 1 x Telchart Electronic Chart system & AIS interface
- 1 x Anschutz universal signal unit
- 1 x Jotron EPIRB
- 3 x TRON TR20 GMDSS VHF's
- 4 x Motorola GP 340 portable UHF
- 1 x Furuno MF/HF SSB Radio station
- 1 x Furuno DSC terminal DSC 60
- 2 x Furuno VHF with built in DSC
- 1 x Furuno FM 2721 simplex VHF
- 1 x Furuno Navtex receiver NX-700B
- 1 X Furuno Weather Fax
- 1 x Furuno Ships Security Alert System
- 1 x GSM/GPRS Cellular phone
- 2 x Inmarsat C Felcom 15
- 1 x Nera Worldphone Mini M
- 1 x KU Band Satellite Comms system

ACCOMMODATION

26 persons	10 x 1 Man cabins 8 x 2 Man cabins
------------	---------------------------------------

CARGO CAPACITY

Deck area	1,000 sq. m (16 m x 62.5 m)
Deck Load	2,700 T
Fuel Oil	1,038 m ³ @ 100%
Potable Water	1,175 m ³ @ 100%
Drill Water	4,225 m ³ @ 100%
Oil Based Mud	6,048 bbbls @ 100%
Base Oil	1,397 bbbls @ 100%
	+ 1,053 bbbls @ 100% in methanol tanks
Brine	9,160 bbbls @ 100%
Methanol / Xylene	167 cm @ 100%
Dry Bulk	9,351 cuft in 6 tanks

TANK WASHING SYSTEM

Fixed tank washing system in all mud tanks
 Alfa Laval Aldec Decanter
 360 deg tank washing machines
 Dedicated 24 m³ slop tank
 Hot / Cold wash with / without chemicals

DISCHARGE RATES

Fuel Oil	250 m ³ /hr	@ 90 m hd
Pot Water	250 m ³ /hr	@ 90 m hd
Oil Based Mud	2 x 75 m ³ /hr	@ 90 m hd
Base Oil	100 m ³ /hr	@ 90 m hd
Brine	2 x 80 m ³ /hr	@ 90 m hd
Cement	80 T/hr	@ 90 m hd
Barytes	60 T/hr	@ 90 m hd
Bentonite	100 T/hr	@ 90 m hd
Methanol	2 x 75 m ³ /hr	@ 90 m hd
Drill Water	150 m ³ /hr	@ 90 m hd





M.V. NORTH PURPOSE

STX 09 CD PSV DP-2 LARGE PLATFORM SUPPLY VESSEL

TANK CAPACITIES

TANK	CUBIC METRES				BARRELS		
	FUEL OIL	FRESH WATER	DRILL WATER	METHANOL	OIL BASED MUD	BRINE	BASE OIL
FUEL (12)	218.6 142.5 100.1 181.3 62.7 43.3 120.8 126.1 18.8 / 13.2 8.5 + 2						
FRESH WATER (12)		2 x 40.7 2 x 62.5 2 x 70.4 2 x 53.1 113.8 122.5 287.9 197.3					
DRILL WATER (17+10)			2 x 113.8 2 x 122.5 2 x 287.9 2 x 197.3 101.3 105.1 116.1 143.3 51.2 2 x 205.7 201 196.8 6 x 130 102.1 / 103.8 291.8				
METHANOL (2)				2 x 83.5			
OBM (6 + 2)					6 x 817.5 2 x 563		
BRINE (2 + 3 + 6)						2 x 563 1 x 642 1 x 654 1 x 1,835 6 x 817.5	
BASE OIL (2 + 2)							760 793 2 x 526
TOTAL	1,038	1,175	167	4,225	6,048	9,160	1,553 + 1,052

Dark Blue denotes primary function, Light Blue denotes secondary / tertiary function