FLORINDA TIDE





ALUCAT 1605 FAST CREWBOAT

Vessel Characteristics

Length, Overall:	65.3 ft	19.9 m
Beam:	16.4 ft	5 m
Depth:	7.6 ft	2.3 m
Maximum Draft:	3.3 ft	1 m
Freeboard:	3.3 ft	1 m
Displacement:	30 lt	30 mt
Deadweight:	10 lt	10 mt
Clear Deck Space:	21 x 14 ft	6.4 x 4.3 m
Clear Deck Area:	260 ft ²	24 m²
Deck Strength:	200 lb/ft²	1 t/m²
Class Notations:	BUREAU VERITAS: I +HULL MACH CREWBOAT SEA AREA 2 SDS	

Capacities

Deck Cargo:	2.4 lt	2.4 t
Fuel Oil:	1,450 gal	5.5 m ³
Fresh Water:	110 gal	0.4 m ³

TIDEWATER

Find out more

tdw.com

Pg.2 Further Specifications Pg.3 General Arrangement

FLORINDA TIDE

Further specifications



Machinery

Main Engines (2):		MAN D	2842 LE 405
Total HP:			1,780
Propellers (2):		Rolls F	Royce FF450S
Primary Generators (1):	19 kw	230 v	50 hz
Driven by:			Main engine

Performance*

Fuel Consumption Vs Speed	
Maximum:	6 m³/day (66 gph) @ 30 knots
Cruising:	4.5 m³/day (49.5 gph) @ 28 knots
Economical:	3.4 m³/day (37.4 gph) @ 20 knots
Standby:	0.2 m³/day (2.2 gph) @ 0 knots
Range @ 24 Knots:	300 nm

Deck Equipment

Anchors (1):	Galvanized VHHP
Anchor Chain:	25 m of 22 mm chain per side

Nav/Comms Equipment

Radar(s):	1
Depth Sounder:	1
Gyro Compass:	1
Radio:	4 x VHF; 1 x SSB

Accommodations

Passenger Seats:	30
Certified to Carry:	32

Special Equipment

Firefighting:	FiFi Other	1x 350 Fire Monitor


Registration


Flag: MARSHALL ISLANDS	Home Port: MAJURO
Year Built: 2019	Call Sign: V7A2068
Builder:	OCEA S.A, La Rochelle, Fr
Tonnage (ITC):	51 GT 16 NT

FLORINDA TIDE


General Arrangement (Current configuration may vary.)







MAIN DECK LAYOUT



UNDER DECK LAYOUT

